SOW-01-844-1-8D949B-2/1

Date: 02/22/00

STATEMENT OF WORK (SOW)

For the Repair of the 5V Power Supply NSN 6130-01-327-9197

P/N: 246089-100; CAGE: 13973

GYSGT R. WRIGHT

Equipment Specialist Data Systems Section (Code 844-1)

MCLB, Albany GA

STEPHANIE BYRD

Inventory Manager Data Systems Section

(Code 844-1)

MCLB, Albany GA

HARVEY C. DEARING

Weapon System/Equipment Manager Data Systems Section (Code 844-1) MCLB, Albany GA

TABLE OF CONTENTS

Paragraph	<u>Title</u>	Page
	Cover Page	
	Table of Contents	i
1.0	Scope	1
2.0	Applicable Documents	1
2.1	Military Standards	1
2.2	Other Government Documents and Publications	1
2.3	Industry Standards	2
3.0	Requirements	2
3.1	General Tasks	2
3.2	Detail Tasks	2
3.2.1	Phase I (Pre-Induction)	2
3.2.2	Phase II (Repair)	3
3.2.3	Phase III (Inspection, Testing and Acceptance)	3
3.2.4	Phase IV (Packaging, Handling, Storage and Transportation (PIIS&T))	3
3.3	Government Furnished Equipment (GFE)/Government Furnished Materiel	
	(GFM) Accountability	4
3.4	Contractor Furnished Materiel (CFM)	4
3.5	Electrostatic Discharge (ESD) Control Program	4
3.6	Quality Assurance Provisions	4
3.7	Acceptance	5
3.8	Rejection	5
3.9	Configuration Control	5
4.0	Reports	5
4.1	Pre-Induction Checklist	5
4.2	Test/Inspection Report	5
4.3	Repairable Item Inspection Report	5
4.4	Monthly Progress Report	5
<u>App</u> endix		
A	Standard Form 364 (Rev. 2-80)	

STATEMENT OF WORK FOR THE

Repair of 5V Power Supply (6130-01-327-9197)

P/N: 246089-100; CAGE: 13973

1.0 Scope

This Statement of Work (SOW) establishes, sets forth tasks, and identifies the work effort that shall be performed by the Contractor to repair the 5V Power Supply (PS), 6130-01-327-9197; hereafter referred to as the 5V PS. The 5V PS, Drawing Number 246089, CAGE 13973, is a component of the Tactical Air Operations Module (TAOM) TIG, AN/TYQ-23(V)1. This document contains requirements to restore the 5V PS to Condition Code "A". Condition Code A is defined as "serviceable/issuable without qualification, new, used, repaired or reconditioned materiel which is serviceable and issuable to all customers without limitation or restriction, including materiel with more than six months shelf-life remaining."

2.0 Applicable Documents

The following documents form a part of this SOW to the extent specified. Unless otherwise specified, the issues of these documents are those listed in the Department of Defense Index of Specifications and Standards (DODISS) and supplement thereto which is in effect on the date of solicitation. In the event of conflict between the documents referenced herein and the contents of this SOW, the contents of this SOW shall be the superseding requirement.

2.1 Military Standards

MIL-STD-129 DoD Standard Practice for Military Marking

MIL-STD-2073-1C DoD Standard Practice for Military Packaging

Military Standards (For Reference Only)

MIL-STD-973 Configuration Management

2.2 Other Government Documents and Publications: The issues of those documents cited below shall be used.

TM-08565A-24P/13 AN/TYQ-23(V)1 Illustrated Parts Breakdown Manual

246089 Parts List, 5V Power Supply

246089-720 Test Specifications

246089-750 Test Procedures

DOD 4000-25-1-M MILSTRIP Manual

NAVICPINST 4491.2A Requisitioning of Contractor Furnished Materiel From the

Federal Supply System

2.3 Industry Standards

ANSI/EIA-625 Requirements for Handling Electrostatic-Discharge

Sensitive ESDS Devices

ANSI/ISO/ASQC Q9003-1994 Quality Systems-Model for Quality Assurance in Final

Inspection and Test

(Copies of Military Standards and Specifications are available from the DOD Single Stock Point, Defense Automation Production Service Philadelphia, Building 4D, 700 Robbins Avenue, Philadelphia, PA 19111-5094, Telephone (215) 697-2179 or DSN 442-2179, or http://www.dodssp.daps.mil. Copies of other government documents and publications required by contractors in connection with specific SOW requirements shall be obtained through the contracting officer: Commander, Marine Corps Logistics Bases, (Code 890) Attn: Contracting Officer, 814 Radford Blvd., Albany, Georgia 31704-1128, commercial telephone number (912) 439-6773 or DSN 567-6773. Copies of engineering drawings, if applicable, shall be obtained from Life Cycle Management Center, Attn: Code 825-3, 814 Radford Blvd STE 20320, Albany, Georgia 31704-0320, commercial telephone number (912) 439-6410 or DSN 567-6410.

3.0 Requirements

- 3.1 General Tasks: In fulfilling the specified requirements, the Contractor shall provide materials, labor, equipment, facilities and missing/repair parts, necessary to inspect, diagnose, restore, and test and calibrate the 5V PS. Upon completion of repairing the subject item it shall be Condition Code "A".
- 3.2 Detail Tasks: The following tasks describe the different phases for repair of the 5V PS:

Phase I Pre-Induction

Phase II Repair

Phase III Inspection, Testing and Acceptance

Phase IV Packaging, Handling, Storage and Transportation (PHS&T)

3.2.1 Phase I (Pre-Induction): A pre-induction inspection analysis shall be performed for each 5V PS within five working days of induction into the Contractor's facility for evaluation of repair capability. If repair is not feasible, assign Condition Code "H" (CC "H"), notify Marine Corps Logistics Base, Albany, Georgia for disposition instructions, otherwise assign CC "M" and induct into the repair cycle. The Pre-Induction Inspection (Appendix A) shall be used to report all anomalies and shall be provided to the government in accordance with section 4.0 of this SOW.

3.2.2 <u>Phase II (Repair)</u>: After pre-induction tests and inspections have been completed, repair of the 5V PS shall be accomplished in accordance with this SOW. Deficiencies noted on the Pre-Induction Checklist during Phase I shall be repaired/replaced. Components or assemblies shall not be disassembled for replacement of parts unless that part has failed, or the component assembly wherein the part is located is disassembled for repair.

a. Hardware

- (1) Replace broken, unserviceable and/or missing hardware including nuts, bolts, screws, washers, turnlock fasteners, mandatory replacement items, safety, and one-time use items. Unserviceable would include any of the above that failed to function properly.
- (2) Ensure proper hardware locking devices are present on all moving mechanical assemblies.
- (3) Hardware normally supplied with commercial parts shall be used unless specifically prohibited.
- b. <u>Publications and Documentation:</u> The Contractor shall use appropriate technical documentation to restore the 5V PS to condition code "A."
 - c. The following Standards and Publications shall be used to assist the Contractor:

246089 Parts List, 5V Power Supply
246089-720 Test Specifications
246089-750 Test Procedures
TM-08565A-24P/13 AN/TYQ-23(V)1 Illustrated Parts Breakdown Manual

3.2.3 Phase III (Inspection, Testing and Acceptance)

- a. Inspection, Testing and Acceptance of the 5V PS shall be conducted in accordance with the documents and TM's listed in section 3.2.2.c and documentation retained by the manufacturer.
- b. The Contractor shall be responsible for conducting required tests in accordance with applicable procedures and specifications.
- c. The Contractor shall be responsible for correcting any deficiencies identified during inspection/testing. MCLB (Code 844-1), Albany, GA representatives may require the Contractor to repeat tests or portions thereof, if the original tests fail to demonstrate compliance with this SOW.

3.2.4 Phase IV (Packaging, Handling, Storage and Transportation (PHS&T))

a. The Contractor shall be responsible for preservation and packaging of items being repaired under the terms of this statement of work. Items being prepared for long term storage or

shipment to overseas destinations shall be in accordance with the level A requirements of MIL-STD-2073-1C, Appendix A, Table A.VI., Electronic Equipment. Items being prepared for domestic shipment and immediate use shall be to level B requirements.

- b. Marking of all items shall be in accordance with MIL-STD-129.
- c. The Marine Corps will provide the contractor with the shipping address(es) for delivery of the repaired equipment. The contractor shall be responsible for arranging for shipment to the pre-designated site(s). The Marine Corps will be responsible for transportation costs associated with shipping the subject equipment to and from the Contractor.
- 3.3 Government Furnished Equipment (GFE)/Government Furnished Materiel (GFM)
 Accountability: GFE is government owned equipment authorized by contract for use by a commercial/Government contractor. It is neither consumed during production not incorporated into any product. GFM is materiel furnished to a contractor that will be consumed during the course of production or incorporated into the product being manufactured/remanufactured under a contract/statement of work. In the event the Marine Corps does have GFE/GFM requirements the Management Control Activity (MCA/Code 827-2), Marine Corps Logistics Bases, Albany, Georgia, will coordinate required GFE and will maintain a central control on Marine Corps assets in the Contractor's possession. The MCA will forward a GFE Accountability agreement to the Contractor Facility for signature to establish a chain of custody and property responsibilities for Marine Corps assets.
- 3.4 Contractor Furnished Materiel (CFM): The Marine Corps has adopted the Navy's procedures regarding Contractor Furnished Materiel (NAVICPINST 4491.21A). In the event that Contractor Furnished Materiel (CFM) is required for repair parts, the contractor shall requisition repair parts through the DoD Supply System. DoD 4000.25-1-M (MILSTRIP), Chapter 11 authorizes contractors to requisition through the DoD Supply System.
- 3.5 <u>Electrostatic Discharge (ESD) Control Program:</u> The contractor shall establish, implement and document an ESD control program following the guidelines provided in ANSI/EIA-625. ESD protective measures shall be used during manufacturing, handling, inspection, test, marking, packaging, storing and transporting ESD sensitive components.
- 3.6 Quality Assurance Provisions: The Contractor shall provide and maintain a Quality System that as a minimum, adheres to the requirements of ANSI/ISO/ASQC Q9003-1994, Quality System Model for Quality Assurance in Final Inspection and Test. The program shall ensure quality throughout all areas to include fabrication, processing, assembly, inspection, test, maintenance, and preparation for delivery and shipping. Unless otherwise specified in the contract, the contractor shall be responsible for performance of all inspection requirements. The Government reserves the right to perform any of the inspections set forth in the contract where such inspections are deemed necessary to assure products and services conform to the prescribed requirements.

- 3.7 <u>Acceptance:</u> The performance of the Contractor and the quality of work delivered, including all equipment furnished and documentation written or compiled, shall be subject to inprocess review and inspection during performance. Inspection may be accomplished in-plant or at any work site or location, and Marine Corps representatives shall be permitted to observe the work or to conduct an inspection.
- **Rejection:** Failure to comply with any of the specified requirements listed herein shall be reason for rejection by MCLB Code 844-1, Albany, representative. The Contractor shall, at no additional cost to MCLB, Albany, Georgia, correct the deficiencies and repeat the verification until an acceptable compliance with acceptance test procedures is demonstrated.
- 3.9 <u>Configuration Control:</u> The contractor shall apply configuration control procedures to establish configuration items. The contractor shall not implement configuration changes to an item's documented performance or design characteristics without receiving prior written authorization. If it is necessary to depart from the authorized configuration baseline, the contractor shall submit a Request for Deviation or Request for Waiver using MIL-STD-973, paragraph 5.4.3 or 5.4.4, as a guide.

4.0 Reports

- 4.1 <u>Pre-Induction Checklist:</u> The Contractor shall complete the Pre-Induction Inspection Checklist (Appendix A) for each 5V PS repaired. These documents shall be available prior to final acceptance testing. One copy of each document shall be provided to MCLB (Code 844-1) Albany, Georgia, after final acceptance of the 5V PS.
- **4.2** <u>Test/Inspection Report:</u> The Contractor shall provide a Test/Inspection Report for each 5V PS.
- **4.3** Repairable Item Inspection Report: The Contractor shall provide a Repairable Item Inspection Report for each 5V PS. The report shall be identified by United States Marine Corps Serial Number.
- **4.4** Monthly Progress Report: The Contractor shall provide a Monthly Progress Report summarizing the progress and status of the 5V PS Program.

16 FROM.		17. DIS	TRIBUTIÓN AD	DRESSEES FOR DISTRIBUT	ion
		•			
18. TO: IN ACCORDANC	E WITH NOTICE OF I	DISCRI	EPANCY ON	Use window en this document. I address, includ starting one typi the left dot. Each NOT extend be Address must not e space typi FACE OF THIS FOR	nsert Name and ing ZIP Code, ng space below address line must yond right dot. exceed four single ng lines.
a MATERIAL DOCUMENT NUMBER HAS WILL BEEN BE SHIPPED		ь.[NO RECORI	O OF SHIPMENT. RESUBMI OFFICE UNDER	
c. AN ADJUSTMENT IN BILLING HAS BEEN/WILL BE PROCESSED CREDIT	DEBIT	d.	INVOICE/BI ATTACHEI		ROOF OF CLIVERY
AN ADJUSTMENT IN BILLING FOR THIS REPORTED DISCREINTHE INDICATED REGULATION	PANCY WILL NOT BE PROC	ESSED F	OR THE FOLLO	WING REASON WHICH IS C	CITED IN
(1) REASON FOR NOT PROCESSING (a) DISCREPANCY WAS NOT REPORTED WITHIN THE TIME FR AND/OR	(a) CHAPTER 5 OF THE GSA HANDBOOK, DISCREPANCIES OR DEFICIENCIES IN GSA OR DOD SHIPMENTS, MATERIALS, OR BILLINGS (FPMR 101.26.8)				
(b) DOLLAR VALUE DOES NOT MEET THE CRITERIA PRESCRIBI OR AGREEMENT INDICATED IN 191(2)	ED IN THE REGULATION) \rangle	MILITARY STAN MILBILLS) AND	AND/OR 7 OF DOD 4000.25. DARD BILLING SYSTEM 0/OR DD 1513, U.S. DOD OFF	
20. THE FOLI a PROCESS FOR DISPOSAL IN ACCORDANCE WITH	b REPRESENTATIVE			ERENCED MATERIAL USSION CONCERNING	DAYS
SERVICE/AGENCY DIRECTIVES c. RETAIN MATERIAL AT NO CHARGE	d. MATERIAL WILL BE PICKED UP IN:				DAYS
SHIP MATERIAL Specify location)	<u> </u>				
(1) GBL APPROPRIATION CHARGEABLE: (2) CHARGES COLLECT - VIA FREIGHT (3) PARCEL POST LABEL ATTACHED	EXPRESS (4) FREIGHT PREI	PAID	PARCEL PO	OST	
f. OTHER (Specify)		•			
21 IF MATERIAL IS STILL REQUIRED, SUBMIT NEW REQUISITION.	22 REPLACEMENT W WILL BE MADE O			ATERIAL	DATE
23. REMARKS (Continue on separate sheet of puper if necessary).					
24a. TYPED OR PRINTED NAME AND PHONE NUMBER OF PREPARING OFFICIAL	24b. SIGNATURE				24c. DATE

(1 Data Item)

Form Approved
OMB No. 0704-0188

Designed using Perform Pro, WHS/DICR, Aug 96

The public reporting burden for this collection of information is estimated to everage 110 hours per response, including the time for reviewing instructions, searching existing data sources, gathering and maintaining the data needed, and completing and reviewing the collection of information. Send comments regarding this burden estimate or any other aspect of this collection of information, including suggestions for reducing the burden, to Department of Defense, Washington Headquarters Services, Directorate for Information Operations and Reports (0701-0188), 1215 Jefferson Davis Highway, Suite 1204, Arlington, VA 22202.4302. Respondents should be aware that notwithstanding any other provision of law, no person shall be subject to any penalty for failing to comply with a collection of information if it does not display a currently valid OMB control number.

Please DD NOT RETURN your form to the above address. Send completed form to the Government Issuing Contracting Officer for the Contract/PR No. listed in Block E.

A. CONTRACT LINE I	TEM NO.	B. EXHIBIT C. CATEGORY:			ntuco	×				
D. SYSTEM/ITEM			E. CONTRACT/PR		F. CONTRA					
5V	Power Supply				1.00					
1. DATA ITEM NO.	2. TITLE OF DATA ITEM				3. SUBTITLE					17. PRICÉ GROUP
A001	Contractor's Pre	naress S	Status and Mai	nagement Report						
4. AUTHORITY (Data Acquisi		<u></u>	5. CONTRACT REFEREN			6. REQUIRING OFFICE				18. ESTIMATED
DI-l	MGMT-80227			SOW 4.4		MCLBA	(844))		TOTAL PRICE
	9. DIST STATEMENT REQUIRED	10. FREQUENC		12. DATE OF FIRST SUBMISSION See Blk 1		14. DISTRIBUTION				
LT 8. APP CODE		11. AS OF DA	THLY	See BIK I	-	ADDRESSEE		b. COPIES		 L
51A.1 5521	A			submission See Blk 1	6	a. ADDRESSEE	Draft	Fir Reg	Repro	
18. REMARKS Contractor for	mat is authorized.			500 Bit 1		MCLBA (844-1)	0	1	0	
			ws. Delete nar	agraphe 10 3g - 10) 3h					
10.3i, 10.3j, 10	DI-MGMT-80227 0.3k, and 10.3n.	as iono	ws. Detete par	agraphis 10.3g, 10	у. эн,				<u>-</u> .	
Blk 12 - The re	eporting period sh submission shall b	all be from	om the first to	last business day	of each			· · · · · · · · · · · · · · · · · · ·	****	
each month.	quent submission	s snan be	e 10 days anter	the fast dusiness	day of					•
								_		
Distribution St	atement A: Appr	oved for	public release	e, distribution is u	nlimited.					
							1			
							<u> </u>			
							_			
							1			
							<u> </u>			
										
							· ·			
ì							1	}	- '	
								<u> </u>		
						15 70741				
G. PREPARED BY			H. DATE	I. APPROVED B	Y	15. TOTAL	J. DAT	E I	0	
1.11.	lu th			Of-	dia	C Olaring		1	1.0	
DD FORM 1423	1 AUG OF (FC)		2/22/0	REVIOUS EDITION MAY BE		C Claring	1/	24 <u>/</u>	07)	

(1 Data Item)

Form Approved OMB No. 0704-0188

The public reporting hurden for this collection of information is estimated to average 110 hours per response, including the time for reviewing instructions, searching existing data sources, gathering and maintaining the data needed, and completing and reviewing the collection of information. Send comments regarding this burden estimate or any other aspect of this collection of information, including suggestions for reducing the burden, to Department of Defense, Washington Headquarters Services, Directorate for Information Operations and Reports (0/10/10/18), 1215 Jefferson Davis Highway, Suita 1204, Arrington, VA 22202-4302. Respondents should be aware that notwithstanding any other provision of law, no person shall be subject to any penalty for falling to comply with a collection of information if it does not display a currently valid OMB control number.

Please DO NOT RETURN your form to the above address. Send completed form to the Government Issuing Contracting Officer for the Contract/PR No. listed in Block E.

A. CONTRACT LINE I	ITEM NO.	B. EXHIBIT	•	C. CATEGORY: TDP TM OTHER X							
D. SYSTEM/ITEM		E. CONTRACT/PR NO. F. CONTRA								İ	
	Power Supply				3. SUBTITLE						
1. DATA ITEM NO.	2. TITLE OF DATA ITEM								17. PRICE GROUP		
B001						1					
4. AUTHORITY (Data Acquist	ition Document No.) I-ILSS-80386		5. CONTRACT REFER	SOW 4.3		6. REQUIRING	OFFICE MLCBA	(844)			18. ESTIMATED YOTAL PRICE
	9. DIST STATEMENT	10. FREQUENC	<u> </u>	12. DATE OF FIRST SUBMI	SSION	14.	DISTRIBUTION	1 (044)	<u> </u>		•
LT	REQUIRED		SREQ	See Blk					b. COPIES		
8. APP CODE	A	11. AS OF DAT	TE .	13. DATE OF SUBSEQUENT SUBMISSION		a. A	DORESSEE	Draft	Fir		
16. REMARKS	mat is authorized.			See Blk	. 16	MCLB/	A (844-1)	0	Reg 1	Repro ()	
Contractor for	mat is authorized.		1.6 1	SV D	•	7.10133					
repaired.	arate report shall	be submi	ited for each	3V Power Supp	ly						
	Submit report by each 5V Power S										
		"									
bik 14 - Kepor	ts shall be provid	ed on nai	а сору.					 	····		
Distribution St	atement A: Appr	oved for	public releas	se, distribution is	unlimited.						
											ı
											ı
											·
										~ <u></u>	
										-	i.
							····	<u></u>			
								<u> </u>			
									l -		
								1			
								 			
									<u> </u>		· :
						15. TOTAL		0	1	0	
G. PREPARED BY			H. DATE	I. APPROVE	D BY			J. DAT		\dashv	
Kil	fwill		02/20	100 AC	ruly	<u>(1)</u>	lang	07	241	07	
DD FORM 1423	1, AUG 96.(EG)		· I	PREVIOUS ÉDITION MAY	BE USED. /		Designed	Page using Perform	o f n Pro, WHS/O	Pages DIDR, Aug 96	

(1 Data Item)

Form Approved OMB No. 0704-0188

Designed using Perform Pro, WHS/DIOR, Aug 96

The public reporting burden for this collection of information is estimated to average 110 hours per response, including the time for reviewing instructions, searching existing data sources, gathering and maintaining the data needed, and completing and reviewing the collection of information. Send comments regarding this burden estimate or any other aspect of this collection of information, including suggestions for reducing the burden, to Department of Defense, Washington Headquarters Services, Directorate for Information Operations and Reports (0701-0188), 1215 Lefferson Davis Highway, Surta 1204, Arlington, VA 22202-4302. Respondents should be aware that notwithstanding any other provision of law, no person shall be subject to any penelty for falling to comply with a collection of information if it does not display a currently valid OMB control number.

Please DO NOT RETURN your form to the shove address. Send completed form to the Government Issuing Contracting Officer for the Contract/PR No. listed in Block E.

A. CONTRACT LINE I	TEM NO.	B. EXHIBIT C. CATEGORY: TDP TM OTHER						ı		
D. SYSTEM/ITEM			E. CONTRACT/PR	1 — — —	F. CONTR/					
	Power Supply									
1. DATA ITEM NO.	2. TITLE OF DATA IYEM				3. SUBTITLE					17. PRICE GROU
B002		Test/Insn	ection Report	S	Nor	Destructive Testing	and In	spectio		
4. AUTHORITY (Data Acquis	L.,	1 CSL/ HISP	5. CONTRACT REFEREN		1101	6. REQUIRING OFFICE		specin	J11	18. ESTIMATED
· ·	NDTI-80809B			SOW 4.2		MCLB	A (844)			TOTAL PRIC
7. DO 250 REQ	8. DIST STATEMENT	10. FREQUENC	EY .	12. DATE OF FIRST SUBMISSI	DN	14. DISTRIBUTION				
DD	REQUIRED	A	SREQ	See Blk 1	6			b. COPIES		
8. APP CODE		11. AS OF DAT		13. DATE OF SUBSEQUENT SUBMISSION		a. Addressee		Fir	nal	L
	A	A	SREQ	See Blk 1	6		Draft	Reg	Repro	
16. REMARKS						MCLBA (844-1)	0	1	0	
	mat is authorized.					DCMAO	0	1	0	
Blk 12 - Subm Acceptance Te within 30 days Contractor with DCMAO.	it test report with sting. DCMAO w of receipt. MCL hin 30 days after	in 30 day vill reviev BA will p receipt of	s after comple w and provide provide accept f recommenda	etion of Production comments to MC ance/nonacceptan tions/comments fi	n LBA ce to the rom	-				
							1			1
days of receipt	Contractor shall in This review/app val from the Gove	proval cy	cle shall be re	peated until the C	ontractor					
receives appro	val from the Gove	ernment.								
Di-4-:14: C4					1114					
Distribution St	atement A: Appr	rovea for	public release	e, distribution is u	niimitea.					
							_			
						<u></u>	+			
							+			
							1	- <u>-</u>		
							ļ			
							-			
						C	1 -			
						77 TEMP T-16 Fe				
							-			
						•.				
)							1 ') !	
						n-9-U				
							-			:
						15. TOTAL	0	2	0	;
G. PREPARED BY			H. DATE	I. APPROVED B	<u>'Y</u>		J. DAT		<u>U</u>	1
XXII A	La Ditel	_	ozlzz	10		Dearing	,			
DD FORM 1422	1 AUG OF (FG)			REVIOUS ÉDITION MAY RE		- wwy	Pana	0.6	Dagge	

(1 Data Item)

Form Approved OMB No. 0704-0188

The public reporting burden for this collection of information is estimated to average 110 hours per response, including the time for reviewing instructions, searching existing data sources, gathering and maintaining the data needed, and completing and reviewing the collection of information. Send comments regarding this burden estimate or any other aspect of this collection of information, including suggestions for reducing the burden, to Department of Defense, Washington Headquarters Services, Directorate for Information Operations and Reports (0701-0188), 1215 Jafferson Davis Highway, Suite 1204, Arington, VA 22202-4302. Respondents should be aware that notwithstanding any other provision of law, no person shall be subject to any penalty for failing to comply with a collection of information if it does not display a currently valid DMB control number. Please D0 NOT RETURN your form to the above address. Send completed form to the Government Issuing Contracting Officer for the Contract/PR No. listed in Block E.

A. CONTRACT LINE	ITEM NO.	B. EXHIBIT	Г	C. CATEGORY:		×				
D. SYSTEM/ITEM			E. CONTRACT/F	TOP TM_	F. CONTRA					
5V	Power Supply									·
1. DATA ITEM NO.	2. TITLE OF DATA ITEM				3. SUBTITLE		·			17. PRICE GRO
C001		Request	For Deviation	on		Configuration Man	nageme	ent		
4. AUTHORITY (Data Acquis			5. CONTRACT REFE	RENCE		6. REQUIRING OFFICE				18. ESTIMATE TOTAL PRI
	CMAN-80640B			SOW 3.9		MCLB/	A (825)) ——		
7. DD 250 REQ LT	8. DIST STATEMENT REQUIRED	10. FREQUEN	ASREQ	12. DATE OF FIRST SUBMISS SEE BLK		14. DISTRIBUTION		b. COPIES		
8. APP CODE	1	11. AS OF DA		13. DATE OF SUBSEQUENT		a. Addressee			nal	
	A			SUBMISSION			Draft	Reg	Repro	
16. REMARKS Blk 4 - Contra	ctor format is aut	horized.				MCLBA (825-2)	0	1	0	
Blks 10 & 12 nonconforming documentation	- RFDs shall be sugnered to the state of the	ibmitted loes not	to obtain aut meet prescri	thorization to deliv bed configuration	er					
				rithin 30 calendar d					:	
RFDs shall be mbmatcomcon	transmitted via E figmngmnt@matc	-Mail to com.usme	the following	g address:						
Distribution St	tatement A: Appr	oved for	public relea	se, distribution is	unlimited					
										;
						_				Ĺ
										ĺ
						_				
							<u> </u>	·		
						_				
										
										:
						_				ļi
										ĺ
										1 ¦
						15, TOTAL	0	1		ĺ
G. PREPARED BY	a N/	1/2	H. DATE	I. APPROVED	ВУ	10. IUTAL	J. DAT	E 	<u> </u>	İ
Jamel	o C Wa	Ster	1/08/	00/00	Mil	3 C Olary	1/0	41/ <i>0</i>		1
DD FORM 1423	1, AUG 96 (EG)		/ /	PREVIOUS EDITION MAY B	E USED.	Designan	Page	of	Pages	

(1 Data Item)

Form Approved OMB No. 0704-0188

The public reporting burden for this collection of information is estimated to average 110 hours per response, including the time for reviewing instructions, searching existing data sources, gathering and maintaining the data needed, and completing and reviewing the collection of information. Send comments regarding this burden astimate or any other aspect of this collection of information, including suggestions for reducing the burden, to Department of Defance, Washington Headquarters Services, Directorate for Information Operations and Reports (0701-0188), 1215 Jefferson Davis Highway, Suite 1204, Arlington, VA 22202-4302. Respondents should be aware that notwithstanding any other provision of law, on person shall be subject to vary generalty (or falling to comply with a collection of information of information of information of the Government Issuing Contracting Officer for the Contract/PR No. Issed in Block E.

A. CONTRACT LINE I	ITEM NO.	B. EXHIBIT	•	C. CATEGORY: TDP TM OTHER X						
D. SYSTEM/ITEM			E. CONTRACT/PR		F. CONTRA			;		
	Power Supply		L. COMINSCIJEN!	rv.	I. CORINA	10.011				
1. DATA ITEM NO.	2. TITLE OF DATA ITEM	-			3. SUBTITLE					17. PRICE GROU
	l								-	.]
C002	ļ	Reques	t For Waiver			Configuration Ma	nageme	ent		L _
4. AUTHORITY (Data Acquis	CMAN-80641B		5. CONTRACT REFEREN	SOW 3.9		6. REQUIRING OFFICE	A /075			18. ESTIMATED TOTAL PRIC
7. DD 250 REQ	MAN-80641B	10. FREQUENC	<u> </u>	12. DATE OF FIRST SUBMISSI	ON .	MCLBA	1 (023)	,		
LT	REQUIRED		SREQ	SEE BLK		14. DISTRIBUTION		b. COPIES		
8. APP CODE		11. AS OF DAT		13. DATE OF SUBSEQUENT		a. Addressee			nøl	_
	A			SUBMISSION .			Draft	Reg	Repro	. \
16. REMARKS						MCLBA (825-2)	0	1	0	
Blk 4 - Contra	ctor format is aut	horized.								
Blks 10 & 12 -	RFWs shall be s	ubmitted	to obtain auth	orization to deliv	er		 			
nonconforming documentation	RFWs shall be s g material which o	does not i	neet prescribe	d configuration		·	-			
							1			
receipt by the	reviewed and disp Government.	-conton u	.c.c.iiiiijou wit	Jo valendar u	ajo upon	ļ ————	 			l
RFWs shall be	transmitted via F figmngmnt@mate	E-Mail to	the following	address:						
Distribution St	atement A: Appi	roved for	public release	, distribution is u	nlimited		 			
							 			
							 	<u> </u>		
						-	t			
							1			
								!		
							<u> </u>			
Į							 			
							 			
							<u> </u>			
						·	↓			
ĺ						<u> </u>	+-	 	\vdash	
						· · · · · ·				
							ļ			
										
							 	-		
[-		├ ──	
							+-	-		
							 			
1										
			<u> </u>	1		15. TOTAL	0		0	
G. PREPARED BY	\mathcal{N}	1	H. DATE	I. APPROVED I			J. DAT	E		
1 (lamely	. O. Was	8	1/2/	ex XA	A A DAN	6 Dearing	2	JH1	(2)	ļ
DD FORM 1423-	<u> </u>		V O O O	REVIOUS EDITION MAY BE	IISED /	- www.		7 //	<i>U U</i>	<u> </u>
DU/FUNNI 1423-	· I, AUU 30 (EU)		, / PF	JEANONS ENLINEM WAT RE	USEU./	1/	Page	01	Pages	-